

บรรณานุกรม

- จันทนา กาญจนกมล. 2558. ฤทธิ์ต้านเชื้อแบคทีเรียของสารสกัดจากมะม่วงหาวมะนาวโห่. เอกสารการประชุมวิชาการระดับชาติ ครั้งที่ 2.
- มนสิชา ขวัญเอกพันธุ์ อาภา จิมโรตง และ ไฉน น้อยแสง. ฤทธิ์ยับยั้งเอนไซม์ไทโรซิเนสของสารสกัดจากส่วนเถาชะเอมไทย. สำนักวิชาวิทยาศาสตร์เครื่องสำอาง มหาวิทยาลัยแม่ฟ้าหลวง.
- Agarwal, T., Singh, R., Shukla, A.D. and Waris, I. 2012. *In vitro* study of antibacterial activity of *Carissa carandas* leaf extracts. *Asian Journal of Plant Science and Research*. 2 (1): 36-40
- Arif, M., Fareed, S., Hussain, T. and Ali, M. 2013. Adaptogenic activity of lanostane triterpenoid isolated from *Carissa carandas* fruit against physically and chemically challenged experimental mice. *Pharmacognosy Journal*. 5: 216-220.
- Baurin, N., Arnoult, E., Scior, T., Do, QT. and Bernard, P. 2002. Preliminary screening of some tropical plants for anti-tyrosinase activity. *J Ethnopharmacol*. 82(2-3): 155-8.
- Bhaskar V.H. and Balakrishnan N., 2009, Analgesic, Anti-Inflammatory and Antipyretic Activities of *Pergularia daemia* and *Carissa carandas*, *DARU Journal of Pharmaceutical Sciences*, 17(3): 168-174.
- Fu, R., Zhang, Y., Guo, Y. and Chen, F. 2014. Antioxidant and tyrosinase inhibition activities of the ethanol-insoluble fraction of water extract of *Sapium sebiferum* (L.) Roxb. Leaves. *South African Journal of Botany*. 93: 98–104.
- Hearing, V.J. 2005. Biogenesis of pigment granules: a sensitive way to regulate melanocyte function. *J. Dermatol. Sci*. 37(1): 3-14.
- Itankar, P. R, Lokhande, S.J. Verma, P.R., Arora, S. K. Sahu, R.A. and Patil, A.T. (2011). Antidiabetic potential of unripe *Carissa carandas* Linn. fruit extract. *Journal of Ethnopharmacology*. 135. 430–433.

- Laikangbam, R., M. Damayanti Devi and S. Rajendra Singh. 2009. Anti-bacterial efficacy of elite medicinal plants on urolithiasis inducing flora. *J. of Food, Agriculture & Environment* 7 (2): 40-45.
- Lee, S.H., Choi, S.Y., Kim, H., Hwang, J.S., Lee, B.G., Gao, J.J. and Kim, S.Y. 2002. Mulberroside F isolated from the leaves of *Morus alba* inhibits melanin biosynthesis. *Biological and Pharmaceutical Bulletin*. 25, 1045 -1048.
- Masuda T, Yamashita D, Takeda Y, Yonemori S. 2005. Screening for tyrosinase inhibitors among extract of seashore plant and identification of potent inhibitors from *Garcinia subelliptica*. *Japan society for bioscience biotechnology and agrochemistry*; 69: 197-201.
- Momtaza, S., Mapunya, B.M., Houghton, P.J., Edgerly, C., Hussein, A., Naidoo, S. and N. Lall. 2008. Tyrosinase inhibition by extracts and constituents of *Sideroxylon inerme* L. stem bark, used in South Africa for skin lightening. *Journal of Ethnopharmacology*. 119: 507–512.
- Pewlong, W., Sajjabut, S., Singphet, S. and Eamsiri, J. 2013. Influence of Fruit Ripening Stages on the Bioactive Compounds of *Carissa carandas*. *Agricultural Sci. J.* 44(2)(Suppl.): 337-340.
- Sasaki, K. and Yoshizaki, F. 2002. Nobiletin as a tyrosinase inhibitor from the peel of Citrus fruit. *Biological and Pharmaceutical Bulletin*. 25, 806-808.
- Seema, P. *Reviews in Environmental Science and Bio/Technology : Food, pharmaceutical and industrial potential of Carissa genus: an overview.* 2012. DOI 10.1007/s11157-012-9306-7Springer Science Business Media Dordrecht.
- Sharma, A., Reddy, G.D., Kaushik, A., Shanker , K., Tiwari, R.K., Mukherjee, A. and Rao, C.V. 2007. Analgesic and Anti-inflammatory Activity of *Carissa carandas* L. Fruits and *Microstylis wallichii* Lindl Tubers, *Natural Product Sciences*. 13(1): 6-10.

- Shukla, S., Park, J., Kim, D.H., Hong, S.Y., Lee, J.S. and Kim, M. 2016. Total phenolic content, antioxidant, tyrosinase and α -glucosidase inhibitory activities of water soluble extracts of noble starter culture Doenjang, a Korean fermented soybean sauce variety. *Food Control*. 59: 854-861.
- Singh, A. and UPPAL G.K. 2015. A Review on *Carissa carandas* -Phytochemistry, Ethno Pharmacology, and Micropropagation as Conservation Strategy. *Asian J Pharm Clin Res*, 8(3): 26-30.
- Singleton, V. L., Orthofer, R. and Lamuela-Raventos, R. M. 1999. Analysis of total phenols and other oxidation substrates and antioxidants by means of Folin-Ciocalteu reagent. *Methods in Enzymology*. 299, 152-178.
- Solano, F., Briganti, S., Picardo, M. and Ghanem, G. 2006. "Hypopigmenting Agents: An Updated Review on Biological, Chemical and Clinical Aspects," *Pigment Cell Res.*, 19, 550.
- Suh, S.S., Hwang, J., Park, M., Park, H.S. and Lee T.K. 2014. Phenol content, antioxidant and tyrosinase inhibitory activity of mangrove plants in Micronesia. *Asian Pacific Journal of Tropical Medicine*. 531-535.
- Verma, S. and Chaudhary, H. S. 2011. Effect of *Carissa carandas* against Clinically Pathogenic bacterial strains. *Journal of Pharmacy Research*. 4(10): 3769-3771.
- Wetwitayaklung, P., Charoenteeraboon, J., Limmatvapirat, C. and Phaechamud, T. 2012. Antioxidant Activities of Some Thai and Exotic Fruits Cultivated in Thailand. *Research Journal of Pharmaceutical, Biological and Chemical Sciences*. 3(1): 12-21
- Zengin, G., Uysal, S., Ceylan, R. and Aktumsek, A. 2015. Phenolic constituent, antioxidative and tyrosinase inhibitory activity of *Ornithogalum narbonense* L. from Turkey: A phytochemical study *Industrial Crops and Products*. 70: 1-6.